

# Fracture (broken bone)



**IN A MEDICAL EMERGENCY  
CALL TRIPLE ZERO (000) FOR AN AMBULANCE.**

**DRSABCD** Danger ▶ Response ▶ Send for help ▶ Airway ▶ Breathing ▶ CPR ▶ Defibrillation

The DRSABCD Action Plan is the first step when providing first aid. Use this to assess the immediate situation. [DOWNLOAD THE DRSABCD FACT SHEET.](#)

## WARNING

- It can be difficult to tell whether an injury is a fracture, dislocation, sprain or strain. If in doubt, always treat as a fracture.
- DO NOT try to force a broken bone back into place.

## SIGNS AND SYMPTOMS

- pain or tenderness at or near the site of the injury
- swelling
- deformity
- discolouration, redness, bruising
- loss of function
- the patient felt or heard the break occur
- a coarse grating sound is heard or felt as bones rub together

## WHAT TO DO

- 1 Follow DRSABCD.
- 2 Ask the patient to remain as still as possible.
- 3 Control any bleeding, cover any wounds and check for other fractures.
- 4 Immobilise the broken bone by placing a padded splint along the injured limb.
- 5 Secure the splint by passing the bandages above and below the break to prevent movement. Tie the bandages firmly and away from the injured side.
- 6 For a leg fracture, also immobilise the foot and ankle. Support the limb while bandaging.
- 7 Check that the bandages are not too tight and watch for signs of loss of circulation to the limb every 15 minutes.
- 8 Seek medical aid.

**YOU COULD SAVE A LIFE WITH FIRST AID TRAINING [WWW.STJOHN.ORG.AU](http://WWW.STJOHN.ORG.AU) • 1300 360 455**